


For professional use



BioRePeel is a revitalizing bio-stimulating chemical peel with TCA that promotes cell renewal by exfoliating the skin's top layer.

BioRePeel helps remove dead skin cells, stimulate collagen production, and treat various skin issues such as signs of aging, acne, and pigmentation.

BioRePeel FND offers a gentle chemical peel for the face, neck, and décolletage. With an effective formulation containing 35% TCA, it exfoliates dead skin cells, improves skin texture, and reduces uneven skin tone. The product minimizes pores, combats fine lines and wrinkles, and treats acne and pigmentation.

BioRePeel Body is specially designed for body care with the aim of improving skin quality. With a unique and effective formula containing 50% TCA, combined with other active ingredients, the product aims to exfoliate, improve skin texture, and promote renewed skin.





After treatment

BioReLift

BioReLift is a post-treatment cream used to lock in moisture and give the skin a fresh and hydrated feeling. The cream is specially designed for dry skin and formulated to be used after treatments to enhance and maintain the results.

BioReHydra

BioReHydra is a post-treatment gel serum designed to promote biostimulation, revitalization, and intense hydration with firming effects. The gel's consistency creates a quickly absorbing and lightweight texture, specially formulated for oily skin.



- Do not use in case of ascertained sensitivity to the components.
- Do not use on people allergic to salicylates.
- Slight redness of the skin may occur, which will disappear 24-48 hours after treatment.
- Do not use the product if there are pathologies and/or infections affecting the skin, such as dermatitis or herpes.
- Use with caution of patients with keloids.
- Do not use if pregnant or nursing.

Treatments

BioRePeel FND, Usage Volume (mL)	
Face	1,5 - 2 mL
Neck	1 - 1,5 mL
Décolleté	2 – 5 mL

Back	6 mL
Shoulders / Feet	3 mL
Buttocks	4 mL
Legs	5 mL
Knees / Hands	2 mL
Elbows	1 mL



1 2 3 4 7-10 Days 7-10 Days 7-10 Days

Apply on the affected area every 7-10 days for up to 4-6 sessions depending on medical evaluation and treatment targets.

Exposure time: 3-5 minutes according to patients tolerance.

1 2 3 4 10-12 Days 10-12 Days 10-12 Days

Apply on the affected area every 10-12 days for up to 4-6 sessions depending on medical evaluation and treatment targets.

Exposure time: 3-10 minutes according to patients tolerance.